

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|----------|------|------------|-------------|-----------------|-----------------|
| A1. Subject ID | SUBJECT_ID | | | | | | |
| A3.<created var> Age at hospital admission | F4BADM_D_AGE | | | 198(0) | 3.28(2.25) | 2.90(1.50,4.70) | 0.20-12.30 |
| A3.<created var> Time from hospital admission to drug/placebo started(day) | F4BADM_D_DRUG | | | 196(2) | 0.73(1.02) | 0.50(0.00,1.00) | 0.00-5.00 |
| A4.<created var> Age at hospital discharge | F4BDSH_D_AGE | | | 198(0) | 3.28(2.25) | 2.90(1.50,4.70) | 0.20-12.30 |
| A4.<created var> Time from drug/placebo started to hospital discharge(day) | F4BDSH_D_DRUG | | | 196(2) | 1.96(1.36) | 2.00(1.00,2.00) | 0.00-12.00 |
| B1.B1.<created var> Age at study day 0 | DAYD_0_0_AGE | | | 198(0) | 3.28(2.25) | 2.90(1.50,4.70) | 0.20-12.30 |
| B1.B1.<created var> Time from drug/placebo started to study day 0 (day) | DAYD_0_0_DRUG | | | 196(2) | -0.22(0.48) | 0.00(0.00,0.00) | -4.00-0.00 |
| B2.B1.<created var> Age at study day 1 | DAYD_0_1_AGE | | | 198(0) | 3.28(2.25) | 2.90(1.50,4.70) | 0.20-12.30 |
| B2.B1.<created var> Time from drug/placebo started to study day 1(day) | DAYD_0_1_DRUG | | | 196(2) | 0.81(0.41) | 1.00(1.00,1.00) | 0.00-2.00 |
| B3.B1.<created var> Age at study day 2 | DAYD_0_2_AGE | | | 149(49) | 3.24(2.31) | 3.00(1.30,4.60) | 0.20-12.30 |
| B3.B1.<created var> Time from drug/placebo started to study day 2(day) | DAYD_0_2_DRUG | | | 147(51) | 1.79(0.41) | 2.00(2.00,2.00) | 1.00-2.00 |
| B4.B1.<created var> Age at study day 3 | DAYD_0_3_AGE | | | 40(158) | 3.50(2.92) | 2.30(1.25,5.20) | 0.30-12.30 |
| B4.B1.<created var> Time from drug/placebo started to study day 3(day) | DAYD_0_3_DRUG | | | 40(158) | 2.63(0.54) | 3.00(2.00,3.00) | 1.00-3.00 |
| B5.B1.<created var> Age at study day 4 | DAYD_0_4_AGE | | | 16(182) | 3.21(2.13) | 3.35(1.15,4.85) | 0.30-7.10 |
| B5.B1.<created var> Time from drug/placebo started to study day 4(day) | DAYD_0_4_DRUG | | | 16(182) | 3.56(0.63) | 4.00(3.00,4.00) | 2.00-4.00 |
| B6.B1.<created var> Age at study day 5 | DAYD_0_5_AGE | | | 7(191) | 3.74(1.82) | 4.00(2.10,5.50) | 0.80-6.00 |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|------------|-----------------|-----------------|
| B6.B1.<created var> Time from drug/placebo started to study day 5(day) | DAYD_0_5_DRUG | | | 7(191) | 4.57(0.53) | 5.00(4.00,5.00) | 4.00-5.00 |
| B7.B1.<created var> Age at study day 6 | DAYD_0_6_AGE | | | 5(193) | 3.44(2.02) | 4.00(2.10,4.30) | 0.80-6.00 |
| B7.B1.<created var> Time from drug/placebo started to study day 6(day) | DAYD_0_6_DRUG | | | 5(193) | 5.60(0.55) | 6.00(5.00,6.00) | 5.00-6.00 |
| B8.B1.<created var> Age at study day 7 | DAYD_0_7_AGE | | | 4(194) | 2.80(1.65) | 3.05(1.45,4.15) | 0.80-4.30 |
| B8.B1.<created var> Time from drug/placebo started to study day 7(day) | DAYD_0_7_DRUG | | | 4(194) | 6.50(0.58) | 6.50(6.00,7.00) | 6.00-7.00 |
| B9.B1.<created var> Age at study day 8 | DAYD_0_8_AGE | | | 1(197) | 4.00(.) | 4.00(4.00,4.00) | 4.00-4.00 |
| B9.B1.<created var> Time from drug/placebo started to study day 8(day) | DAYD_0_8_DRUG | | | 1(197) | 8.00(.) | 8.00(8.00,8.00) | 8.00-8.00 |
| B1a1. Temperature recorded at 6 AM? (Day 1) | TEMPR1_0_0 | -9:MISSING | 5(2.5) | | | | |
| | | 1:YES | 49(24.7) | | | | |
| | | 2:NO | 144(72.7) | | | | |
| B1a1. Temperature recorded at 6 AM? (Day 2) | TEMPR1_0_1 | -9:MISSING | 1(0.5) | | | | |
| | | 1:YES | 179(90.4) | | | | |
| | | 2:NO | 18(9.1) | | | | |
| B1a1. Temperature recorded at 6 AM? (Day 3) | TEMPR1_0_2 | -9:MISSING | 49(24.7) | | | | |
| | | 1:YES | 120(60.6) | | | | |
| | | 2:NO | 29(14.6) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|----------|---------------|-----------------|
| B1a1. Temperature recorded at 6 AM? (Day 4) | TEMPR1_0_3 | -9:MISSING | 158(79.8) | | | | |
| | | 1:YES | 29(14.6) | | | | |
| | | 2:NO | 11(5.6) | | | | |
| B1a1. Temperature recorded at 6 AM? (Day 5) | TEMPR1_0_4 | -9:MISSING | 182(91.9) | | | | |
| | | 1:YES | 13(6.6) | | | | |
| | | 2:NO | 3(1.5) | | | | |
| B1a1. Temperature recorded at 6 AM? (Day 6) | TEMPR1_0_5 | -9:MISSING | 191(96.5) | | | | |
| | | 1:YES | 6(3.0) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1a1. Temperature recorded at 6 AM? (Day 7) | TEMPR1_0_6 | -9:MISSING | 193(97.5) | | | | |
| | | 1:YES | 4(2.0) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1a1. Temperature recorded at 6 AM? (Day 8) | TEMPR1_0_7 | -9:MISSING | 194(98.0) | | | | |
| | | 1:YES | 3(1.5) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1a1. Temperature recorded at 6 AM? (Day 9) | TEMPR1_0_8 | -9:MISSING | 197(99.5) | | | | |
| | | | | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 2:NO | 1(0.5) | | | | |
| B1b1. Temperature recorded at NOON? (Day 1) | TEMPR2_0_0 | -9:MISSING | 4(2.0) | | | | |
| | | 1:YES | 88(44.4) | | | | |
| | | 2:NO | 106(53.5) | | | | |
| B1b1. Temperature recorded at NOON? (Day 2) | TEMPR2_0_1 | 1:YES | 184(92.9) | | | | |
| | | 2:NO | 14(7.1) | | | | |
| B1b1. Temperature recorded at NOON? (Day 3) | TEMPR2_0_2 | -9:MISSING | 49(24.7) | | | | |
| | | 1:YES | 100(50.5) | | | | |
| | | 2:NO | 49(24.7) | | | | |
| B1b1. Temperature recorded at NOON? (Day 4) | TEMPR2_0_3 | -9:MISSING | 159(80.3) | | | | |
| | | 1:YES | 25(12.6) | | | | |
| | | 2:NO | 14(7.1) | | | | |
| B1b1. Temperature recorded at NOON? (Day 5) | TEMPR2_0_4 | -9:MISSING | 182(91.9) | | | | |
| | | 1:YES | 13(6.6) | | | | |
| | | 2:NO | 3(1.5) | | | | |
| B1b1. Temperature recorded at NOON? (Day 6) | TEMPR2_0_5 | -9:MISSING | 191(96.5) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 1:YES | 6(3.0) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1b1. Temperature recorded at NOON? (Day 7) | TEMPR2_0_6 | -9:MISSING | 193(97.5) | | | | |
| | | 1:YES | 4(2.0) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1b1. Temperature recorded at NOON? (Day 8) | TEMPR2_0_7 | -9:MISSING | 194(98.0) | | | | |
| | | 1:YES | 4(2.0) | | | | |
| B1b1. Temperature recorded at NOON? (Day 9) | TEMPR2_0_8 | -9:MISSING | 197(99.5) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 1) | TEMPR3_0_0 | -9:MISSING | 4(2.0) | | | | |
| | | 1:YES | 149(75.3) | | | | |
| | | 2:NO | 45(22.7) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 2) | TEMPR3_0_1 | -9:MISSING | 1(0.5) | | | | |
| | | 1:YES | 135(68.2) | | | | |
| | | 2:NO | 62(31.3) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 3) | TEMPR3_0_2 | -9:MISSING | 49(24.7) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 1:YES | 45(22.7) | | | | |
| | | 2:NO | 104(52.5) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 4) | TEMPR3_0_3 | -9:MISSING | 160(80.8) | | | | |
| | | 1:YES | 15(7.6) | | | | |
| | | 2:NO | 23(11.6) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 5) | TEMPR3_0_4 | -9:MISSING | 182(91.9) | | | | |
| | | 1:YES | 6(3.0) | | | | |
| | | 2:NO | 10(5.1) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 6) | TEMPR3_0_5 | -9:MISSING | 191(96.5) | | | | |
| | | 1:YES | 3(1.5) | | | | |
| | | 2:NO | 4(2.0) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 7) | TEMPR3_0_6 | -9:MISSING | 193(97.5) | | | | |
| | | 1:YES | 3(1.5) | | | | |
| | | 2:NO | 2(1.0) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 8) | TEMPR3_0_7 | -9:MISSING | 194(98.0) | | | | |
| | | 1:YES | 2(1.0) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 2:NO | 2(1.0) | | | | |
| B1c1. Temperature recorded at 6 PM? (Day 9) | TEMPR3_0_8 | -9:MISSING | 197(99.5) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 1) | TEMPR4_0_0 | -9:MISSING | 1(0.5) | | | | |
| | | 1:YES | 184(92.9) | | | | |
| | | 2:NO | 13(6.6) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 2) | TEMPR4_0_1 | -9:MISSING | 1(0.5) | | | | |
| | | 1:YES | 144(72.7) | | | | |
| | | 2:NO | 53(26.8) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 3) | TEMPR4_0_2 | -9:MISSING | 49(24.7) | | | | |
| | | 1:YES | 43(21.7) | | | | |
| | | 2:NO | 106(53.5) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 4) | TEMPR4_0_3 | -9:MISSING | 160(80.8) | | | | |
| | | 1:YES | 17(8.6) | | | | |
| | | 2:NO | 21(10.6) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 5) | TEMPR4_0_4 | -9:MISSING | 182(91.9) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 1:YES | 6(3.0) | | | | |
| | | 2:NO | 10(5.1) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 6) | TEMPR4_0_5 | -9:MISSING | 191(96.5) | | | | |
| | | 1:YES | 5(2.5) | | | | |
| | | 2:NO | 2(1.0) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 7) | TEMPR4_0_6 | -9:MISSING | 193(97.5) | | | | |
| | | 1:YES | 4(2.0) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 8) | TEMPR4_0_7 | -9:MISSING | 194(98.0) | | | | |
| | | 1:YES | 2(1.0) | | | | |
| | | 2:NO | 2(1.0) | | | | |
| B1d1. Temperature recorded at 12 AM? (Day 9) | TEMPR4_0_8 | -9:MISSING | 197(99.5) | | | | |
| | | 1:YES | 1(0.5) | | | | |
| B1e1. Maximum temperature recorded? (Day 1) | TEMPR5_0_0 | -9:MISSING | 1(0.5) | | | | |
| | | 1:YES | 190(96.0) | | | | |
| | | 2:NO | 7(3.5) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|----------|---------------|-----------------|
| B1e1. Maximum temperature recorded? (Day 2) | TEMPR5_0_1 | -9:MISSING | 1(0.5) | | | | |
| | | 1:YES | 179(90.4) | | | | |
| | | 2:NO | 18(9.1) | | | | |
| B1e1. Maximum temperature recorded? (Day 3) | TEMPR5_0_2 | -9:MISSING | 49(24.7) | | | | |
| | | 1:YES | 95(48.0) | | | | |
| | | 2:NO | 54(27.3) | | | | |
| B1e1. Maximum temperature recorded? (Day 4) | TEMPR5_0_3 | -9:MISSING | 158(79.8) | | | | |
| | | 1:YES | 29(14.6) | | | | |
| | | 2:NO | 11(5.6) | | | | |
| B1e1. Maximum temperature recorded? (Day 5) | TEMPR5_0_4 | -9:MISSING | 182(91.9) | | | | |
| | | 1:YES | 14(7.1) | | | | |
| | | 2:NO | 2(1.0) | | | | |
| B1e1. Maximum temperature recorded? (Day 6) | TEMPR5_0_5 | -9:MISSING | 191(96.5) | | | | |
| | | 1:YES | 6(3.0) | | | | |
| | | 2:NO | 1(0.5) | | | | |
| B1e1. Maximum temperature recorded? (Day 7) | TEMPR5_0_6 | -9:MISSING | 193(97.5) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|-------------|--------------------|-----------------|
| | | 1:YES | 5(2.5) | | | | |
| B1e1. Maximum temperature recorded? (Day 8) | TEMPR5_0_7 | -9:MISSING | 194(98.0) | | | | |
| | | 1:YES | 4(2.0) | | | | |
| B1e1. Maximum temperature recorded? (Day 9) | TEMPR5_0_8 | -9:MISSING | 197(99.5) | | | | |
| | | 1:YES | 1(0.5) | | | | |
| <created var> Number of times temperature was recorded at 6 AM over all days | RECORDED06 | | | 198(0) | 2.04(1.23) | 2.00(1.00,2.00) | 0.00-7.00 |
| <created var> Number of times temperature was recorded at NOON over all days | RECORDED12 | | | 198(0) | 2.14(1.26) | 2.00(1.00,3.00) | 0.00-8.00 |
| <created var> Number of times temperature was recorded at 6 PM over all days | RECORDED18 | | | 198(0) | 1.81(1.21) | 2.00(1.00,2.00) | 0.00-8.00 |
| <created var> Number of times temperature was recorded at 12 AM over all days | RECORDED24 | | | 198(0) | 2.05(1.18) | 2.00(1.00,2.00) | 0.00-8.00 |
| <created var> Number of times maximum temperature was recorded over all days | RECORDEDMAX | | | 198(0) | 2.64(1.27) | 2.00(2.00,3.00) | 0.00-8.00 |
| <created var> Number of times temperature was recorded over all days | RECORDED | | | 198(0) | 8.03(4.31) | 7.00(6.00,9.00) | 1.00-31.00 |
| B1a2. Temperature (Celsius) at 6 AM (Day 1) | TEMP1_0_0 | | | 49(149) | 37.63(1.25) | 37.60(36.80,38.50) | 34.70-40.30 |
| B1a2. Temperature (Celsius) at 6 AM (Day 2) | TEMP1_0_1 | | | 178(20) | 36.29(1.11) | 36.10(35.50,36.80) | 34.20-39.40 |
| B1a2. Temperature (Celsius) at 6 AM (Day 3) | TEMP1_0_2 | | | 120(78) | 36.35(0.74) | 36.20(35.90,36.60) | 34.80-38.80 |
| B1a2. Temperature (Celsius) at 6 AM (Day 4) | TEMP1_0_3 | | | 29(169) | 36.63(0.72) | 36.60(36.20,36.90) | 35.30-38.20 |
| B1a2. Temperature (Celsius) at 6 AM (Day 5) | TEMP1_0_4 | | | 13(185) | 36.95(0.94) | 36.60(36.20,37.70) | 35.80-38.80 |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|----------|------|------------|-------------|--------------------|-----------------|
| B1a2. Temperature (Celsius) at 6 AM (Day 6) | TEMP1_0_5 | | | 6(192) | 36.68(0.60) | 36.70(36.20,37.20) | 35.90-37.40 |
| B1a2. Temperature (Celsius) at 6 AM (Day 7) | TEMP1_0_6 | | | 4(194) | 36.18(0.78) | 36.10(35.65,36.70) | 35.30-37.20 |
| B1a2. Temperature (Celsius) at 6 AM (Day 8) | TEMP1_0_7 | | | 3(195) | 38.10(1.71) | 37.60(36.70,40.00) | 36.70-40.00 |
| B1a2. Temperature (Celsius) at 6 AM (Day 9) | TEMP1_0_8 | | | | | | |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 1) | CTEMP1_0_0 | | | 49(149) | 37.49(1.18) | 37.20(36.80,38.20) | 34.70-40.30 |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 2) | CTEMP1_0_1 | | | 178(20) | 36.24(1.09) | 36.05(35.50,36.70) | 34.20-39.40 |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 3) | CTEMP1_0_2 | | | 120(78) | 36.30(0.74) | 36.15(35.80,36.60) | 34.80-38.80 |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 4) | CTEMP1_0_3 | | | 29(169) | 36.53(0.78) | 36.40(35.90,36.90) | 35.30-38.20 |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 5) | CTEMP1_0_4 | | | 13(185) | 36.95(0.94) | 36.60(36.20,37.70) | 35.80-38.80 |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 6) | CTEMP1_0_5 | | | 6(192) | 36.68(0.60) | 36.70(36.20,37.20) | 35.90-37.40 |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 7) | CTEMP1_0_6 | | | 4(194) | 36.18(0.78) | 36.10(35.65,36.70) | 35.30-37.20 |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 8) | CTEMP1_0_7 | | | 3(195) | 37.77(1.16) | 37.60(36.70,39.00) | 36.70-39.00 |
| <created var> Temperature (Celsius) at 6 AM, rectal adjusted -1 C (Day 9) | CTEMP1_0_8 | | | | | | |
| B1b2. Temperature (Celsius) at NOON (Day 1) | TEMP2_0_0 | | | 88(110) | 37.78(1.17) | 37.80(36.90,38.50) | 35.20-40.40 |
| B1b2. Temperature (Celsius) at NOON (Day 2) | TEMP2_0_1 | | | 183(15) | 36.45(0.73) | 36.40(36.00,36.80) | 34.40-39.60 |
| B1b2. Temperature (Celsius) at NOON (Day 3) | TEMP2_0_2 | | | 100(98) | 36.56(0.77) | 36.50(36.10,36.80) | 34.10-39.30 |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|----------|------|------------|-------------|--------------------|-----------------|
| B1b2. Temperature (Celsius) at NOON (Day 4) | TEMP2_0_3 | | | 25(173) | 36.86(0.77) | 36.70(36.40,37.30) | 35.60-38.70 |
| B1b2. Temperature (Celsius) at NOON (Day 5) | TEMP2_0_4 | | | 13(185) | 37.08(0.84) | 36.70(36.70,37.00) | 36.20-38.80 |
| B1b2. Temperature (Celsius) at NOON (Day 6) | TEMP2_0_5 | | | 6(192) | 37.00(0.69) | 36.80(36.70,37.30) | 36.20-38.20 |
| B1b2. Temperature (Celsius) at NOON (Day 7) | TEMP2_0_6 | | | 4(194) | 36.68(0.24) | 36.60(36.50,36.85) | 36.50-37.00 |
| B1b2. Temperature (Celsius) at NOON (Day 8) | TEMP2_0_7 | | | 4(194) | 36.53(0.32) | 36.40(36.35,36.70) | 36.30-37.00 |
| B1b2. Temperature (Celsius) at NOON (Day 9) | TEMP2_0_8 | | | | | | |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 1) | CTEMP2_0_0 | | | 88(110) | 37.66(1.11) | 37.65(36.85,38.40) | 35.20-40.40 |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 2) | CTEMP2_0_1 | | | 183(15) | 36.43(0.74) | 36.40(36.00,36.80) | 34.40-39.60 |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 3) | CTEMP2_0_2 | | | 100(98) | 36.49(0.80) | 36.40(36.00,36.75) | 34.10-39.30 |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 4) | CTEMP2_0_3 | | | 25(173) | 36.82(0.78) | 36.70(36.30,37.30) | 35.60-38.70 |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 5) | CTEMP2_0_4 | | | 13(185) | 37.08(0.84) | 36.70(36.70,37.00) | 36.20-38.80 |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 6) | CTEMP2_0_5 | | | 6(192) | 37.00(0.69) | 36.80(36.70,37.30) | 36.20-38.20 |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 7) | CTEMP2_0_6 | | | 4(194) | 36.68(0.24) | 36.60(36.50,36.85) | 36.50-37.00 |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 8) | CTEMP2_0_7 | | | 4(194) | 36.53(0.32) | 36.40(36.35,36.70) | 36.30-37.00 |
| <created var> Temperature (Celsius) at NOON, rectal adjusted -1 C (Day 9) | CTEMP2_0_8 | | | | | | |
| B1c2. Temperature (Celsius) at 6 PM (Day 1) | TEMP3_0_0 | | | 148(50) | 37.68(1.14) | 37.70(36.90,38.60) | 34.90-40.70 |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|----------|------|------------|-------------|--------------------|-----------------|
| B1c2. Temperature (Celsius) at 6 PM (Day 2) | TEMP3_0_1 | | | 135(63) | 36.47(0.72) | 36.40(36.00,37.00) | 35.00-38.80 |
| B1c2. Temperature (Celsius) at 6 PM (Day 3) | TEMP3_0_2 | | | 45(153) | 36.85(0.75) | 36.80(36.40,37.20) | 35.50-38.70 |
| B1c2. Temperature (Celsius) at 6 PM (Day 4) | TEMP3_0_3 | | | 15(183) | 37.02(0.85) | 36.90(36.40,37.90) | 35.50-38.60 |
| B1c2. Temperature (Celsius) at 6 PM (Day 5) | TEMP3_0_4 | | | 6(192) | 37.23(0.58) | 37.30(36.90,37.70) | 36.30-37.90 |
| B1c2. Temperature (Celsius) at 6 PM (Day 6) | TEMP3_0_5 | | | 3(195) | 38.10(0.79) | 37.80(37.50,39.00) | 37.50-39.00 |
| B1c2. Temperature (Celsius) at 6 PM (Day 7) | TEMP3_0_6 | | | 3(195) | 36.70(0.50) | 36.70(36.20,37.20) | 36.20-37.20 |
| B1c2. Temperature (Celsius) at 6 PM (Day 8) | TEMP3_0_7 | | | 2(196) | 37.40(1.56) | 37.40(36.30,38.50) | 36.30-38.50 |
| B1c2. Temperature (Celsius) at 6 PM (Day 9) | TEMP3_0_8 | | | | | | |
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 1) | CTEMP3_0_0 | | | 148(50) | 37.58(1.16) | 37.40(36.80,38.60) | 34.90-40.70 |
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 2) | CTEMP3_0_1 | | | 135(63) | 36.43(0.69) | 36.40(36.00,36.90) | 35.00-38.70 |
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 3) | CTEMP3_0_2 | | | 45(153) | 36.78(0.81) | 36.70(36.30,37.10) | 35.40-38.70 |
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 4) | CTEMP3_0_3 | | | 15(183) | 36.95(0.75) | 36.90(36.40,37.60) | 35.50-38.10 |
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 5) | CTEMP3_0_4 | | | 6(192) | 37.23(0.58) | 37.30(36.90,37.70) | 36.30-37.90 |
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 6) | CTEMP3_0_5 | | | 3(195) | 38.10(0.79) | 37.80(37.50,39.00) | 37.50-39.00 |
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 7) | CTEMP3_0_6 | | | 3(195) | 36.70(0.50) | 36.70(36.20,37.20) | 36.20-37.20 |
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 8) | CTEMP3_0_7 | | | 2(196) | 36.90(0.85) | 36.90(36.30,37.50) | 36.30-37.50 |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|----------|------|------------|-------------|--------------------|-----------------|
| <created var> Temperature (Celsius) at 6 PM, rectal adjusted -1 C (Day 9) | CTEMP3_0_8 | | | | | | |
| B1d2. Temperature (Celsius) at 12 AM (Day 1) | TEMP4_0_0 | | | 183(15) | 36.88(1.22) | 36.70(36.10,37.70) | 34.10-40.30 |
| B1d2. Temperature (Celsius) at 12 AM (Day 2) | TEMP4_0_1 | | | 144(54) | 36.41(0.91) | 36.30(35.80,36.80) | 34.90-40.10 |
| B1d2. Temperature (Celsius) at 12 AM (Day 3) | TEMP4_0_2 | | | 43(155) | 36.82(0.95) | 36.60(36.20,37.20) | 35.10-40.10 |
| B1d2. Temperature (Celsius) at 12 AM (Day 4) | TEMP4_0_3 | | | 17(181) | 36.68(0.92) | 36.60(36.40,37.50) | 35.00-38.00 |
| B1d2. Temperature (Celsius) at 12 AM (Day 5) | TEMP4_0_4 | | | 6(192) | 37.32(0.61) | 37.45(37.00,37.80) | 36.30-37.90 |
| B1d2. Temperature (Celsius) at 12 AM (Day 6) | TEMP4_0_5 | | | 5(193) | 37.20(1.02) | 37.00(36.50,37.50) | 36.20-38.80 |
| B1d2. Temperature (Celsius) at 12 AM (Day 7) | TEMP4_0_6 | | | 4(194) | 36.45(0.45) | 36.30(36.15,36.75) | 36.10-37.10 |
| B1d2. Temperature (Celsius) at 12 AM (Day 8) | TEMP4_0_7 | | | 2(196) | 36.00(1.41) | 36.00(35.00,37.00) | 35.00-37.00 |
| B1d2. Temperature (Celsius) at 12 AM (Day 9) | TEMP4_0_8 | | | 1(197) | 36.70(.) | 36.70(36.70,36.70) | 36.70-36.70 |
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 1) | CTEMP4_0_0 | | | 183(15) | 36.81(1.23) | 36.60(36.00,37.50) | 34.10-40.30 |
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 2) | CTEMP4_0_1 | | | 144(54) | 36.37(0.90) | 36.20(35.80,36.70) | 34.90-40.10 |
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 3) | CTEMP4_0_2 | | | 43(155) | 36.73(1.01) | 36.50(36.00,37.20) | 35.10-40.10 |
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 4) | CTEMP4_0_3 | | | 17(181) | 36.68(0.92) | 36.60(36.40,37.50) | 35.00-38.00 |
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 5) | CTEMP4_0_4 | | | 6(192) | 37.32(0.61) | 37.45(37.00,37.80) | 36.30-37.90 |
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 6) | CTEMP4_0_5 | | | 5(193) | 37.20(1.02) | 37.00(36.50,37.50) | 36.20-38.80 |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|----------|------|------------|-------------|--------------------|-----------------|
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 7) | CTEMP4_0_6 | | | 4(194) | 36.45(0.45) | 36.30(36.15,36.75) | 36.10-37.10 |
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 8) | CTEMP4_0_7 | | | 2(196) | 36.00(1.41) | 36.00(35.00,37.00) | 35.00-37.00 |
| <created var> Temperature (Celsius) at 12 AM, rectal adjusted -1 C (Day 9) | CTEMP4_0_8 | | | 1(197) | 36.70(.) | 36.70(36.70,36.70) | 36.70-36.70 |
| B1e2. Maximum temperature (Celsius) (Day 1) | TEMP5_0_0 | | | 189(9) | 38.68(1.03) | 38.90(38.00,39.40) | 35.70-40.70 |
| B1e2. Maximum temperature (Celsius) (Day 2) | TEMP5_0_1 | | | 178(20) | 37.26(1.03) | 37.00(36.40,37.90) | 35.10-40.10 |
| B1e2. Maximum temperature (Celsius) (Day 3) | TEMP5_0_2 | | | 95(103) | 36.98(0.99) | 36.70(36.30,37.40) | 35.30-40.20 |
| B1e2. Maximum temperature (Celsius) (Day 4) | TEMP5_0_3 | | | 29(169) | 37.41(0.90) | 37.40(36.80,38.20) | 35.60-38.70 |
| B1e2. Maximum temperature (Celsius) (Day 5) | TEMP5_0_4 | | | 14(184) | 37.58(0.79) | 37.50(37.00,37.90) | 36.40-38.90 |
| B1e2. Maximum temperature (Celsius) (Day 6) | TEMP5_0_5 | | | 6(192) | 37.83(1.04) | 37.90(37.00,38.80) | 36.40-39.00 |
| B1e2. Maximum temperature (Celsius) (Day 7) | TEMP5_0_6 | | | 5(193) | 37.00(0.29) | 37.10(37.00,37.20) | 36.50-37.20 |
| B1e2. Maximum temperature (Celsius) (Day 8) | TEMP5_0_7 | | | 4(194) | 38.23(1.41) | 37.95(37.10,39.35) | 37.00-40.00 |
| B1e2. Maximum temperature (Celsius) (Day 9) | TEMP5_0_8 | | | 1(197) | 36.70(.) | 36.70(36.70,36.70) | 36.70-36.70 |
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 1) | CTEMP5_0_0 | | | 189(9) | 38.54(1.06) | 38.60(37.90,39.20) | 34.70-40.70 |
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 2) | CTEMP5_0_1 | | | 178(20) | 37.18(1.04) | 36.90(36.40,37.90) | 35.00-40.10 |
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 3) | CTEMP5_0_2 | | | 95(103) | 36.92(1.00) | 36.60(36.20,37.40) | 35.30-40.20 |
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 4) | CTEMP5_0_3 | | | 29(169) | 37.27(0.96) | 37.40(36.40,38.20) | 35.60-38.70 |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|-------------|--------------------|-----------------|
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 5) | CTEMP5_0_4 | | | 14(184) | 37.58(0.79) | 37.50(37.00,37.90) | 36.40-38.90 |
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 6) | CTEMP5_0_5 | | | 6(192) | 37.83(1.04) | 37.90(37.00,38.80) | 36.40-39.00 |
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 7) | CTEMP5_0_6 | | | 5(193) | 37.00(0.29) | 37.10(37.00,37.20) | 36.50-37.20 |
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 8) | CTEMP5_0_7 | | | 4(194) | 37.98(1.02) | 37.95(37.10,38.85) | 37.00-39.00 |
| <created var> Max. temperature (Celsius), rectal adjusted -1 C (Day 9) | CTEMP5_0_8 | | | 1(197) | 36.70(.) | 36.70(36.70,36.70) | 36.70-36.70 |
| <created var> Mean temp. (Celsius) at 6 AM over all days (rectal adjusted -1 C) | MEANTEMP06 | | | 188(10) | 36.35(0.81) | 36.30(35.85,36.88) | 34.50-39.10 |
| <created var> Mean temp. (Celsius) at NOON over all days (rectal adjusted -1 C) | MEANTEMP12 | | | 195(3) | 36.64(0.76) | 36.60(36.20,37.03) | 34.40-40.40 |
| <created var> Mean temp. (Celsius) at 6 PM over all days (rectal adjusted -1 C) | MEANTEMP18 | | | 177(21) | 36.97(0.81) | 36.95(36.40,37.45) | 35.15-39.40 |
| <created var> Mean temp. (Celsius) at 12 AM over all days (rectal adjusted -1 C) | MEANTEMP24 | | | 194(4) | 36.51(0.81) | 36.50(36.00,37.00) | 34.10-38.43 |
| <created var> Mean of max. temps. (Celsius) over all days (rectal adjusted -1 C) | MEANTEMPMAX | | | 196(2) | 37.64(0.76) | 37.57(37.10,38.15) | 35.23-40.05 |
| <created var> Mean temp. (Celsius) over all days (rectal adjusted -1 C) | MEANTEMP | | | 198(0) | 36.62(0.62) | 36.61(36.19,37.01) | 35.28-39.24 |
| B1a3. Measurement method at 6 AM (Day 1) | METH1_0_0 | -2:SKIPPED | 144(72.7) | | | | |
| | | -9:MISSING | 5(2.5) | | | | |
| | | 1:RECTAL | 7(3.5) | | | | |
| | | 2:ORAL | 5(2.5) | | | | |
| | | 3:AXILLARY | 22(11.1) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 4:TYMPANIC | 15(7.6) | | | | |
| B1a3. Measurement method at 6 AM (Day 2) | METH1_0_1 | -2:SKIPPED | 18(9.1) | | | | |
| | | -9:MISSING | 4(2.0) | | | | |
| | | 1:RECTAL | 8(4.0) | | | | |
| | | 2:ORAL | 8(4.0) | | | | |
| | | 3:AXILLARY | 136(68.7) | | | | |
| | | 4:TYMPANIC | 24(12.1) | | | | |
| B1a3. Measurement method at 6 AM (Day 3) | METH1_0_2 | -2:SKIPPED | 29(14.6) | | | | |
| | | -9:MISSING | 49(24.7) | | | | |
| | | 1:RECTAL | 6(3.0) | | | | |
| | | 2:ORAL | 11(5.6) | | | | |
| | | 3:AXILLARY | 84(42.4) | | | | |
| | | 4:TYMPANIC | 19(9.6) | | | | |
| B1a3. Measurement method at 6 AM (Day 4) | METH1_0_3 | -2:SKIPPED | 11(5.6) | | | | |
| | | -9:MISSING | 158(79.8) | | | | |
| | | 1:RECTAL | 3(1.5) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 2:ORAL | 4(2.0) | | | | |
| | | 3:AXILLARY | 19(9.6) | | | | |
| | | 4:TYMPANIC | 3(1.5) | | | | |
| B1a3. Measurement method at 6 AM (Day 5) | METH1_0_4 | -2:SKIPPED | 3(1.5) | | | | |
| | | -9:MISSING | 182(91.9) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 11(5.6) | | | | |
| | | 4:TYMPANIC | 1(0.5) | | | | |
| B1a3. Measurement method at 6 AM (Day 6) | METH1_0_5 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 191(96.5) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 5(2.5) | | | | |
| B1a3. Measurement method at 6 AM (Day 7) | METH1_0_6 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 193(97.5) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 3(1.5) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| B1a3. Measurement method at 6 AM (Day 8) | METH1_0_7 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 194(98.0) | | | | |
| | | 1:RECTAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 2(1.0) | | | | |
| B1a3. Measurement method at 6 AM (Day 9) | METH1_0_8 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 197(99.5) | | | | |
| B1b3. Measurement method at NOON (Day 1) | METH2_0_0 | -2:SKIPPED | 106(53.5) | | | | |
| | | -9:MISSING | 4(2.0) | | | | |
| | | 1:RECTAL | 10(5.1) | | | | |
| | | 2:ORAL | 4(2.0) | | | | |
| | | 3:AXILLARY | 41(20.7) | | | | |
| B1b3. Measurement method at NOON (Day 2) | METH2_0_1 | 4:TYMPANIC | 33(16.7) | | | | |
| | | -2:SKIPPED | 14(7.1) | | | | |
| | | -9:MISSING | 1(0.5) | | | | |
| | | 1:RECTAL | 5(2.5) | | | | |
| | | 2:ORAL | 19(9.6) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 3:AXILLARY | 134(67.7) | | | | |
| | | 4:TYMPANIC | 25(12.6) | | | | |
| B1b3. Measurement method at NOON (Day 3) | METH2_0_2 | -2:SKIPPED | 49(24.7) | | | | |
| | | -9:MISSING | 50(25.3) | | | | |
| | | 1:RECTAL | 7(3.5) | | | | |
| | | 2:ORAL | 10(5.1) | | | | |
| | | 3:AXILLARY | 65(32.8) | | | | |
| | | 4:TYMPANIC | 17(8.6) | | | | |
| B1b3. Measurement method at NOON (Day 4) | METH2_0_3 | -2:SKIPPED | 14(7.1) | | | | |
| | | -9:MISSING | 159(80.3) | | | | |
| | | 1:RECTAL | 1(0.5) | | | | |
| | | 2:ORAL | 2(1.0) | | | | |
| | | 3:AXILLARY | 17(8.6) | | | | |
| | | 4:TYMPANIC | 5(2.5) | | | | |
| B1b3. Measurement method at NOON (Day 5) | METH2_0_4 | -2:SKIPPED | 3(1.5) | | | | |
| | | -9:MISSING | 182(91.9) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 2:ORAL | 2(1.0) | | | | |
| | | 3:AXILLARY | 9(4.5) | | | | |
| | | 4:TYMPANIC | 2(1.0) | | | | |
| B1b3. Measurement method at NOON (Day 6) | METH2_0_5 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 191(96.5) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 5(2.5) | | | | |
| B1b3. Measurement method at NOON (Day 7) | METH2_0_6 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 193(97.5) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 3(1.5) | | | | |
| B1b3. Measurement method at NOON (Day 8) | METH2_0_7 | -9:MISSING | 194(98.0) | | | | |
| | | 3:AXILLARY | 4(2.0) | | | | |
| B1b3. Measurement method at NOON (Day 9) | METH2_0_8 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 197(99.5) | | | | |
| B1c3. Measurement method at 6 PM (Day 1) | METH3_0_0 | -2:SKIPPED | 45(22.7) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | -9:MISSING | 6(3.0) | | | | |
| | | 1:RECTAL | 15(7.6) | | | | |
| | | 2:ORAL | 12(6.1) | | | | |
| | | 3:AXILLARY | 75(37.9) | | | | |
| | | 4:TYMPANIC | 45(22.7) | | | | |
| B1c3. Measurement method at 6 PM (Day 2) | METH3_0_1 | -2:SKIPPED | 62(31.3) | | | | |
| | | -9:MISSING | 1(0.5) | | | | |
| | | 1:RECTAL | 6(3.0) | | | | |
| | | 2:ORAL | 14(7.1) | | | | |
| | | 3:AXILLARY | 96(48.5) | | | | |
| | | 4:TYMPANIC | 19(9.6) | | | | |
| B1c3. Measurement method at 6 PM (Day 3) | METH3_0_2 | -2:SKIPPED | 104(52.5) | | | | |
| | | -9:MISSING | 49(24.7) | | | | |
| | | 1:RECTAL | 3(1.5) | | | | |
| | | 2:ORAL | 5(2.5) | | | | |
| | | 3:AXILLARY | 31(15.7) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 4:TYMPANIC | 6(3.0) | | | | |
| B1c3. Measurement method at 6 PM (Day 4) | METH3_0_3 | -2:SKIPPED | 23(11.6) | | | | |
| | | -9:MISSING | 160(80.8) | | | | |
| | | 1:RECTAL | 1(0.5) | | | | |
| | | 2:ORAL | 3(1.5) | | | | |
| | | 3:AXILLARY | 9(4.5) | | | | |
| | | 4:TYMPANIC | 2(1.0) | | | | |
| B1c3. Measurement method at 6 PM (Day 5) | METH3_0_4 | -2:SKIPPED | 10(5.1) | | | | |
| | | -9:MISSING | 182(91.9) | | | | |
| | | 2:ORAL | 2(1.0) | | | | |
| | | 3:AXILLARY | 4(2.0) | | | | |
| B1c3. Measurement method at 6 PM (Day 6) | METH3_0_5 | -2:SKIPPED | 4(2.0) | | | | |
| | | -9:MISSING | 191(96.5) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 2(1.0) | | | | |
| B1c3. Measurement method at 6 PM (Day 7) | METH3_0_6 | -2:SKIPPED | 2(1.0) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | -9:MISSING | 193(97.5) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 2(1.0) | | | | |
| B1c3. Measurement method at 6 PM (Day 8) | METH3_0_7 | -2:SKIPPED | 2(1.0) | | | | |
| | | -9:MISSING | 194(98.0) | | | | |
| | | 1:RECTAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 1(0.5) | | | | |
| B1c3. Measurement method at 6 PM (Day 9) | METH3_0_8 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 197(99.5) | | | | |
| B1d3. Measurement method at 12 AM (Day 1) | METH4_0_0 | -2:SKIPPED | 13(6.6) | | | | |
| | | -9:MISSING | 3(1.5) | | | | |
| | | 1:RECTAL | 13(6.6) | | | | |
| | | 2:ORAL | 7(3.5) | | | | |
| | | 3:AXILLARY | 134(67.7) | | | | |
| | | 4:TYMPANIC | 28(14.1) | | | | |
| B1d3. Measurement method at 12 AM (Day 2) | METH4_0_1 | -2:SKIPPED | 53(26.8) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | -9:MISSING | 1(0.5) | | | | |
| | | 1:RECTAL | 6(3.0) | | | | |
| | | 2:ORAL | 10(5.1) | | | | |
| | | 3:AXILLARY | 105(53.0) | | | | |
| | | 4:TYMPANIC | 23(11.6) | | | | |
| B1d3. Measurement method at 12 AM (Day 3) | METH4_0_2 | -2:SKIPPED | 106(53.5) | | | | |
| | | -9:MISSING | 49(24.7) | | | | |
| | | 1:RECTAL | 4(2.0) | | | | |
| | | 2:ORAL | 4(2.0) | | | | |
| | | 3:AXILLARY | 30(15.2) | | | | |
| | | 4:TYMPANIC | 5(2.5) | | | | |
| B1d3. Measurement method at 12 AM (Day 4) | METH4_0_3 | -2:SKIPPED | 21(10.6) | | | | |
| | | -9:MISSING | 160(80.8) | | | | |
| | | 3:AXILLARY | 14(7.1) | | | | |
| | | 4:TYMPANIC | 3(1.5) | | | | |
| B1d3. Measurement method at 12 AM (Day 5) | METH4_0_4 | -2:SKIPPED | 10(5.1) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | -9:MISSING | 182(91.9) | | | | |
| | | 2:ORAL | 2(1.0) | | | | |
| | | 3:AXILLARY | 4(2.0) | | | | |
| B1d3. Measurement method at 12 AM (Day 6) | METH4_0_5 | -2:SKIPPED | 2(1.0) | | | | |
| | | -9:MISSING | 191(96.5) | | | | |
| | | 3:AXILLARY | 5(2.5) | | | | |
| B1d3. Measurement method at 12 AM (Day 7) | METH4_0_6 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 193(97.5) | | | | |
| | | 3:AXILLARY | 4(2.0) | | | | |
| B1d3. Measurement method at 12 AM (Day 8) | METH4_0_7 | -2:SKIPPED | 2(1.0) | | | | |
| | | -9:MISSING | 194(98.0) | | | | |
| | | 3:AXILLARY | 2(1.0) | | | | |
| B1d3. Measurement method at 12 AM (Day 9) | METH4_0_8 | -9:MISSING | 197(99.5) | | | | |
| | | 3:AXILLARY | 1(0.5) | | | | |
| B1e3. Maximum measurement method (Day 1) | METH5_0_0 | -9:MISSING | 10(5.1) | | | | |
| | | 1:RECTAL | 26(13.1) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | 2:ORAL | 23(11.6) | | | | |
| | | 3:AXILLARY | 77(38.9) | | | | |
| | | 4:TYMPANIC | 62(31.3) | | | | |
| B1e3. Maximum measurement method (Day 2) | METH5_0_1 | -2:SKIPPED | 15(7.6) | | | | |
| | | -9:MISSING | 6(3.0) | | | | |
| | | 1:RECTAL | 13(6.6) | | | | |
| | | 2:ORAL | 20(10.1) | | | | |
| | | 3:AXILLARY | 117(59.1) | | | | |
| | | 4:TYMPANIC | 27(13.6) | | | | |
| B1e3. Maximum measurement method (Day 3) | METH5_0_2 | -2:SKIPPED | 54(27.3) | | | | |
| | | -9:MISSING | 49(24.7) | | | | |
| | | 1:RECTAL | 6(3.0) | | | | |
| | | 2:ORAL | 12(6.1) | | | | |
| | | 3:AXILLARY | 62(31.3) | | | | |
| | | 4:TYMPANIC | 15(7.6) | | | | |
| B1e3. Maximum measurement method (Day 4) | METH5_0_3 | -2:SKIPPED | 11(5.6) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|------------|-----------|------------|----------|---------------|-----------------|
| | | -9:MISSING | 158(79.8) | | | | |
| | | 1:RECTAL | 4(2.0) | | | | |
| | | 2:ORAL | 3(1.5) | | | | |
| | | 3:AXILLARY | 18(9.1) | | | | |
| | | 4:TYMPANIC | 4(2.0) | | | | |
| B1e3. Maximum measurement method (Day 5) | METH5_0_4 | -2:SKIPPED | 2(1.0) | | | | |
| | | -9:MISSING | 182(91.9) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 11(5.6) | | | | |
| | | 4:TYMPANIC | 2(1.0) | | | | |
| B1e3. Maximum measurement method (Day 6) | METH5_0_5 | -2:SKIPPED | 1(0.5) | | | | |
| | | -9:MISSING | 191(96.5) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 5(2.5) | | | | |
| B1e3. Maximum measurement method (Day 7) | METH5_0_6 | -9:MISSING | 193(97.5) | | | | |
| | | 2:ORAL | 1(0.5) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|------------|-----------|------------|------------|-----------------|-----------------|
| | | 3:AXILLARY | 4(2.0) | | | | |
| B1e3. Maximum measurement method (Day 8) | METH5_0_7 | -9:MISSING | 194(98.0) | | | | |
| | | 1:RECTAL | 1(0.5) | | | | |
| | | 3:AXILLARY | 3(1.5) | | | | |
| B1e3. Maximum measurement method (Day 9) | METH5_0_8 | -9:MISSING | 197(99.5) | | | | |
| | | 3:AXILLARY | 1(0.5) | | | | |
| <created var> Number of RECTAL measurments at 6 AM over all days | RECTAL06 | | | 198(0) | 0.13(0.46) | 0.00(0.00,0.00) | 0.00-3.00 |
| <created var> Number of RECTAL measurments at noon over all days | RECTAL12 | | | 198(0) | 0.12(0.45) | 0.00(0.00,0.00) | 0.00-4.00 |
| <created var> Number of RECTAL measurments at 6 PM over all days | RECTAL18 | | | 198(0) | 0.13(0.44) | 0.00(0.00,0.00) | 0.00-3.00 |
| <created var> Number of RECTAL measurments at 12 AM over all days | RECTAL24 | | | 198(0) | 0.12(0.43) | 0.00(0.00,0.00) | 0.00-3.00 |
| <created var> Number of RECTAL maximum measurments over all days | RECTALMAX | | | 198(0) | 0.25(0.70) | 0.00(0.00,0.00) | 0.00-4.00 |
| <created var> Number of RECTAL measurments over all days | RECTAL | | | 198(0) | 0.49(1.55) | 0.00(0.00,0.00) | 0.00-13.00 |
| <created var> Number of ORAL measurments at 6 AM over all days | ORAL06 | | | 198(0) | 0.16(0.60) | 0.00(0.00,0.00) | 0.00-6.00 |
| <created var> Number of ORAL measurments at noon over all days | ORAL12 | | | 198(0) | 0.20(0.63) | 0.00(0.00,0.00) | 0.00-6.00 |
| <created var> Number of ORAL measurments at 6 PM over all days | ORAL18 | | | 198(0) | 0.19(0.66) | 0.00(0.00,0.00) | 0.00-6.00 |
| <created var> Number of ORAL measurments at 12 AM over all days | ORAL24 | | | 198(0) | 0.12(0.44) | 0.00(0.00,0.00) | 0.00-4.00 |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|---|---------------|----------|-----------|------------|------------|-----------------|-----------------|
| <created var> Number of ORAL maximum measurments over all days | ORALMAX | | | 198(0) | 0.31(0.86) | 0.00(0.00,0.00) | 0.00-6.00 |
| <created var> Number of ORAL measurments over all days | ORAL | | | 198(0) | 0.66(2.12) | 0.00(0.00,0.00) | 0.00-22.00 |
| <created var> Number of TYMPANIC measurments at 6 AM over all days | EAR06 | | | 198(0) | 0.31(0.70) | 0.00(0.00,0.00) | 0.00-3.00 |
| <created var> Number of TYMPANIC measurments at noon over all days | EAR12 | | | 198(0) | 0.41(0.86) | 0.00(0.00,0.00) | 0.00-5.00 |
| <created var> Number of TYMPANIC measurments at 6 PM over all days | EAR18 | | | 198(0) | 0.36(0.70) | 0.00(0.00,1.00) | 0.00-4.00 |
| <created var> Number of TYMPANIC measurments at 12 AM over all days | EAR24 | | | 198(0) | 0.30(0.79) | 0.00(0.00,0.00) | 0.00-4.00 |
| <created var> Number of TYMPANIC maximum measurments at over all days | EARMAX | | | 198(0) | 0.56(0.98) | 0.00(0.00,1.00) | 0.00-5.00 |
| <created var> Number of TYMPANIC measurments over all days | EAR | | | 198(0) | 1.39(2.81) | 0.00(0.00,1.00) | 0.00-15.00 |
| <created var> Number of AXILLARY measurments at 6 AM over all days | ARMPIT06 | | | 198(0) | 1.42(1.24) | 1.00(1.00,2.00) | 0.00-7.00 |
| <created var> Number of AXILLARY measurments at noon over all days | ARMPIT12 | | | 198(0) | 1.40(1.36) | 1.00(0.00,2.00) | 0.00-7.00 |
| <created var> Number of AXILLARY measurments at 6 PM over all days | ARMPIT18 | | | 198(0) | 1.11(1.14) | 1.00(0.00,2.00) | 0.00-6.00 |
| <created var> Number of AXILLARY measurments at 12 AM over all days | ARMPIT24 | | | 198(0) | 1.51(1.27) | 1.00(1.00,2.00) | 0.00-8.00 |
| <created var> Number of AXILLARY maximum measurments over all days | ARMPITMAX | | | 198(0) | 1.50(1.42) | 1.00(0.00,2.00) | 0.00-8.00 |
| <created var> Number of AXILLARY measurments over all days | ARMPIT | | | 198(0) | 5.44(4.48) | 5.00(2.00,7.00) | 0.00-27.00 |
| B8. Was patient discharged with a fever | FEVERDC | 1:YES | 2(1.0) | | | | |
| | | 2:NO | 196(99.0) | | | | |

Kawasaki Data Codebook
KD_FM04b: Inpatient Hospital Form (Part II)
(raw data)

DATA SET: k04b DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 245

Organization of file: One Record per Patient

| Variable Label (VAR) | Variable Name | Category | N(%) | N(Missing) | Mean(SD) | Median(Q1,Q3) | Range of Values |
|--|---------------|----------|------------|------------|----------|---------------|-----------------|
| C1. Adverse event | AEINHOSP | 1:YES | 22(11.1) | | | | |
| | | 2:NO | 176(88.9) | | | | |
| C1a. Number of adverse events | NUMAEHOS | -2 | 176(88.9) | | | | |
| | | 1 | 20(10.1) | | | | |
| | | 2 | 1(0.5) | | | | |
| | | 4 | 1(0.5) | | | | |
| C2. Did patient receive IVIG retreatment | F4IVIG | 1:YES | 10(5.1) | | | | |
| | | 2:NO | 188(94.9) | | | | |
| C2a. Number of IVIG retreatments | F4NUMIVIG | -2 | 188(94.9) | | | | |
| | | 1 | 9(4.5) | | | | |
| | | 2 | 1(0.5) | | | | |
| Form Version | VER_ID | A | 198(100.0) | | | | |